
MULLINS GRADER RIMS 3-PIECE CONSTRUCTION:




Three Piece Flat Base Tubeless Grader Rims are ideal for use on graders, front end loaders and other machines requiring greater inside clearances for heavy duty hubs. The schematic diagram below identifies the key components and features of a 3-Piece type rim.

Multi-Piece Rims (3-Piece Type)



- 1. Rim Size (Nom. Bead Seat Dia.)
- 2. Rim Width
- 3. Rim Inside Dia.
- 4. Bead Seat Area
- 5. Flange-Fixed
- 6. Flange Height
- 7. Valve Hole (Location and size can vary)
- 8. Flange-Removable (Side Flange)
- 9. Lock Ring
- 10. O-Ring (For tubeless application only)
- 11. 28° Mounting Bevel (utilized for demountable application only)
- 12. Rim Stop Plate (Used for demountable application only; size, shape and location can vary.)
- 13. O-Ring Groove
- 14. Lock Ring Groove



MULLINS 3-PIECE RIMS (Bare Rim Stock - Before Centre Plates are Fitted):

Mullins has a range of popular 3-piece rim sections available off the shelf as detailed below. In addition to this Mullins can also procure various sizes of 5-piece rims upon request.


3-Piece Rim Part Number	Rim Size & Specification	Rim Profile		
740-1024TGF	10.00TGF x 24	TGF Profile		
740-1025T	10.00T x 25	T Profile		
740-1225T	12.00T x 25	T Profile		
740-1425T	14.00T x 25	T Profile		
740-1725T	17.00T x 25	T Profile		

The detailed specifications for our 3-Piece bare rim stock is shown in the table below

GRADER INDUSTRIAL AND CONSTRUCTION RIMS

TYPE TGF T VA GR

- Three piece Flat Base Tubeless Grader Rim.
- Same Bead Seat contours as semi drop centre grader rims (TGD type).



RIM SIZE RECOMMENDED		DIMENSIONS mm						COMPLETE	PART NUMBERS				
DxA/C TYRE	A	В	С	D	E	F	G	RIM Wt Kgs	COMPLETE RIM	RIM BASE	SIDE RING	LOCK RING	
24x10.00VA	13.00-24, 14.00-24 16.00-24	254.0	63.5	43.0	614.4	574.0	153.0	545.4	65.5	RW1024 1024TGF	RM1024 B1024TGF	SR8024 F1024TG	LR1024 LR1024G
25x10.00/1.5	14.00-25	254.0	63.5	38.0	635.0	594.6	153.0	571.6	66.5	RW1025 1025T	RM1025 B1025T	SR1025 F1025T	LR1025 LR25T
25x12.00/1.3A	15.5-25	305.0	63.5	33.0	635.0	593.6	179.5	566.0	72.0	RW1225A 1225T	RM1225A B1225T	SR1225A F1225T	LR1225A LR25T
25x14.00/1.5	17.5-25	356.0	63.5	38.0	635.0	593.6	204.0	566.0	77.0	RW1425 1425T	RM1425 B1425T	SR1425 F1425T	LR1425 LR25T
25x17.00/1.7	20.5-25 12PR, 16PR	432.0	63.5	43.0	635.0	593.6	243.0	566.0	85.0	RW1725-1.7 1725T	RM1725-1.7 B1725T	SR1725-1.7 F1725T	LR1725-1.7 LR25T

FLAT BASE RIMS - 3 PIECE:

RIM PART NUMBER	RIM TYPE	APPLICATION
705-340	8.50 X 24 Non Demountable	Heavy Duty Industrial
705-323	10.00 x 20 Demountable	Heavy Duty Industrial
720-1024DEM	10.00 x 24 Demountable	Heavy Duty Industrial

WE START WITH BARE RIMS (ABOVE TABLE) AND THEN MACHINE AND WELD INTO THE RIM A PRECISION MADE CENTRE PLATE TO SUIT YOUR MACHINE:

3-piece Earthmover rims are typically fitted with either a flat plate centre disc or a formed (or shaped) centre disc. The two types of centre disc are shown below.



Flat Plate Centre Disc Fitted



Formed / Shaped Centre Disc

After the appropriate centre disc is fitted to the 3-piece rim the bolt holes are then drilled and the centre bore diameter is machined to specification, so the wheel can be fitted onto a specific vehicle.

After the centre plate is fabricated from steel plate, the centre bore is machined to specification and the bolt holes are drilled.



WE ALSO OFFER COMPLETE WHEELS - OFF THE SHELF OR MADE TO ORDER



Bare Rim 14x25 3-Piece



Finished Wheel (140H CAT Grader)

MULLINS 3-PIECE WHEELS - OFF THE SHELF APPLICATIONS:

Mullins Wheels carry some popular fitments in complete wheels which are fully finished and painted and ready to ship, off the shelf. All other complete wheels are made to the client's specification and are manufactured in our specialised Adelaide workshop.

3-Piece Rim Part Number	Rim Size & Specification	Application
740-102510335ISO	10.00 x 25 10/335 Disc Wheel Dual	Mine Haul Trucks & Other Applications
740-852410335ISO	8.50 x 24 10/335 Disc Wheel Dual	Mine Haul Trucks & Other Applications
740-1425CATGR	14.00 x 25 Cat Grader Wheel	CAT 12G, 120G, 130G, 140G, 140H
740-1024CATG	10.00 x 24 Cat Grader Wheel	CAT 12G, 12H, 120G, 130G, 130H, 140G, 140H
740-1024JD672D	10.00 x 24 JD Grader Wheel	John Deere Grader – Model 672D

Click on these Product Bulletins icons on the "3-Piece Home Page" for more Information ...







740-1024JD672D

740-1425CATGR

740-1024CATG



740-102510335ISO

3-PIECE WHEEL & RIM REPAIRS:

As well as selling complete wheels and rims, often one or more of the 3-piece wheel components can become worn, corroded, cracked or damaged during prolonged service. In such cases, after the worn or damaged part has been properly assessed, it may be possible for the worn components to be replaced.

Mullins Wheels Pty Ltd has a specialised workshop which is capable of doing quality wheel repairs.

Click on this Icon on the 3-Piece Home Page to learn more about Mullins Specialised Workshop Services

