


mullins wheels



MTP **MULLINS**
Trailer Parts

www.mullinstrailerparts.com.au





MADE TO MEASURE AXLES

AXLES MADE TO ORDER
DOWNLOAD OUR AXLE ORDER FORM
www.mullinstrailerparts.com.au

- **AXLES**
- **STUB AXLES**
- **BRAKE KITS**
- **SPRINGS & SPRING SETS**
- **TRAILER WHEELS (Alloy)**
- **TRAILER WHEELS (Steel)**
- **HUBS**
- **JOCKEY WHEELS**
- **COUPLINGS & TOW BALLS**
- **BEARINGS**
- **BRAKE COMPONENTS**
- **TYRES AND TUBES**

www.mullinstrailerparts.com.au

INDEX


Trailer Load & Braking Capacity - Axle Bearing Journal Size	2
Axle & Hub Load and Braking Capacity Chart	3
A Type Axles 750 kg to 1000 kg Load Capacity	4
A Type Stub Axles and Hubs	5
A Type Brake Sets	6
B Type Axles 1400 kg Load Capacity	8
B Type Stub Axles and Hubs	9
B Type Brake Sets	10
B Parallel Axles 1600 kg Load Capacity	12
B Parallel Stub Axles and Hubs	13
B Parallel Brake Sets	14
Heavy Duty Axles - D Type and E Type 2500 to 3500 kg Load Capacity	15
Heavy Duty Stub Axles and Hubs	16
Heavy Duty Brake Sets	17
Brake Components - 9" Drum Brakes	18
Brake Components - 10" Drum Brakes	19
Brake Components - 10" Disc Brakes	20
Brake Components - 12" Drum Brakes	21
Brake Components - 12" Disc Brakes	22
Brake Components & Brake Controllers	23
Bearing Part Numbers & Identification	24
Hub Drum and Disc Brake Components	25
Springs - Parabolic - Multi Leaf Slipper - Tandem Slipper	26
Springs - Roller Rocker Spring Sets, Off Road Spring Sets	27
Spring Fittings	28
Jockey Wheels	29
Couplings and Tow Balls	30
Alloy Wheels - Load Rated Alloy Wheels for Caravan and Trailer use	32
Steel Wheels - Load Rated Steel Wheels for Caravan and Trailer use	33



TRAILER LOAD AND BRAKING CAPACITY


THERE ARE LAWS WHICH GOVERN WHEN A TRAILER MUST BE FITTED WITH BRAKES.

GTM = Gross Towing Mass



1


Trailers that do not exceed 750 kg GTM with a single axle
NO BRAKES are required to be fitted



2

Trailers from 750 kg up to 2 Tonnes GTM require an efficient braking system to be fitted to at least one axle.

Over-run brakes may only be fitted to trailers that do not exceed 2 Tonnes GTM.



3

All trailers over 2 Tonnes GTM must have brakes operating on all wheels.


These brakes must have a controller operable from the driver's seat and the trailer must also be fitted with a breakaway system.




IMPORTANT: The braking capacity per axle is determined by the brake type and size. Please refer to the Axle & Hub Load & Braking Capacity Chart on Page 3 of this catalogue to help calculate the type and size of brakes required for your trailer.




AXLE/BEARING JOURNAL SIZES




A TYPE




B TYPE



B PARALLEL



D TYPE



E TYPE

AXLE & HUB LOAD AND BRAKING CAPACITY CHART

RATED IN KILOGRAMS PER AXLE OR PAIR OF STUB AXLES

AXLE BEARING TYPE	A TYPE		B TYPE				B PARALLEL				D TYPE		E TYPE		
AXLE DIMENSIONS	39 mm Ø	40 mm □	45 mm Ø	45 mm □	50 mm Ø	50 mm □	45 mm Ø	45 mm □	50 mm Ø	50 mm □	50 mm Ø	50 mm □	63 mm □	65 mm Ø	63 mm □
AXLE LOAD CAPACITY kg	750	1000	*1400	1400	*1400	1400	*1600	1600	*1600	1600	*2500	2500	2500	3500	3500

HUB FITMENT

HOLDEN HT	AXLES WITH HUBS ONLY														
HOLDEN HQ															
FORD 5 STUD															
MINI															
6 STUD 4X4 139.7															
5 STUD 150 mm TOYOTA															

BRAKING CAPACITY

9" DRUM BRAKES - HOLDEN HT , HOLDEN HQ, FORD, 6 STUD 4X4

HYDRAULIC	1400 kg														
MECHANICAL	1400 kg														

10" DRUM BRAKES - HOLDEN HT , HOLDEN HQ, FORD, 6 STUD 4X4, 5STUD 150 mm TOYOTA

ELECTRIC	1600 kg														
HYDRAULIC	1600 kg														

10" DISC BRAKES - HOLDEN HT , HOLDEN HQ, FORD

HYDRAULIC	1600 kg														
MECHANICAL	1600 kg														

12" DISC BRAKES - 6 STUD 4X4, 5 STUD 150 mm TOYOTA

HYDRAULIC	1600 kg														
MECHANICAL	1600 kg														


12" DRUM BRAKES - 6 STUD 4X4, 5 STUD 150 mm TOYOTA

ELECTRIC	2500 kg														
HYDRAULIC	2500 kg														

BRAKING CAPACITY

NOTES:

- Capacities for A, B, B Parallel and D type axles are based upon maximum axle shaft length of 1750 mm
- Capacities for E type axles are based upon maximum axle shaft length of 2000 mm
- * 45 mm Ø and 50 mm Ø is only available as stub axles
- Greater loads may be carried for non - highway applications



A TYPE AXLES

750 kg to 1000 kg Load Capacity



A TYPE AXLE SHAFTS ONLY COMPLETE WITH SLOTTED NUTS, AXLE WASHERS & SPLIT PINS
FOR COMPLETE AXLE SELECT AXLE SHAFT PART NUMBER AND HUBS OR BRAKE SET PART NUMBER

39 mm ROUND 750 kg CAPACITY			
	OVERALL LENGTH TIP TO TIP		HUB FACE TO HUB FACE
PART NUMBER	INCHES	mm	mm
830 - A39RC - 53I	53"	1345 mm	1235 mm
830 - A39RC - 54I	54"	1370 mm	1260 mm
830 - A39RC - 55I	55"	1395 mm	1285 mm
830 - A39RC - 56I	56"	1420 mm	1310 mm
830 - A39RC - 57I	57"	1445 mm	1335 mm
830 - A39RC - 58I	58"	1475 mm	1365 mm
830 - A39RC - 59I	59"	1500 mm	1390 mm
830 - A39RC - 60I	60"	1525 mm	1415 mm
830 - A39RC - 61I	61"	1550 mm	1440 mm
830 - A39RC - 62I	62"	1575 mm	1465 mm
830 - A39RC - 63I	63"	1600 mm	1490 mm
830 - A39RC - 64I	64"	1625 mm	1515 mm
830 - A39RC - 65I	65"	1650 mm	1540 mm
830 - A39RC - 66I	66"	1680 mm	1570 mm
830 - A39RC - 67I	67"	1700 mm	1590 mm
830 - A39RC - 68I	68"	1725 mm	1615 mm
830 - A39RC - 69I	69"	1750 mm	1640 mm
830 - A39RC - 70I	70"	1775 mm	1665 mm
830 - A39RC - 71I	71"	1800 mm	1690 mm
830 - A39RC - 72I	72"	1825 mm	1715 mm
830 - A39RC - 73I	73"	1850 mm	1740 mm
830 - A39RC - 74I	74"	1875 mm	1765 mm
830 - A39RC - 75I	75"	1905 mm	1795 mm
830 - A39RC - 76I	76"	1930 mm	1820 mm
830 - A39RC - 77I	77"	1955 mm	1845 mm
830 - A39RC - 78I	78"	1980 mm	1870 mm
830 - A39RC	TBA	Made to Order	

40 mm SQUARE 1000 kg CAPACITY			
	OVERALL LENGTH TIP TO TIP		HUB FACE TO HUB FACE
PART NUMBER	INCHES	mm	mm
830 - A40SC - 65I	65"	1650 mm	1540 mm
830 - A40SC - 66I	66"	1680 mm	1570 mm
830 - A40SC - 67I	67"	1700 mm	1590 mm
830 - A40SC - 68I	68"	1725 mm	1615 mm
830 - A40SC - 69I	69"	1750 mm	1640 mm
830 - A40SC - 70I	70"	1775 mm	1665 mm
830 - A40SC - 71I	71"	1800 mm	1690 mm
830 - A40SC - 72I	72"	1825 mm	1715 mm
830 - A40SC - 73I	73"	1850 mm	1740 mm
830 - A40SC - 74I	74"	1875 mm	1765 mm
830 - A40SC - 75I	75"	1905 mm	1795 mm
830 - A40SC - 76I	76"	1930 mm	1820 mm
830 - A40SC - 77I	77"	1955 mm	1845 mm
830 - A40SC - 78I	78"	1980 mm	1870 mm
830 - A40SC - 79I	79"	2005 mm	1895 mm
830 - A40SC - 80I	80"	2030 mm	1920 mm
830 - A40SC - 81I	81"	2055 mm	1945 mm
830 - A40SC - 82I	82"	2080 mm	1970 mm
830 - A40SC - 83I	83"	2110 mm	2000 mm
830 - A40SC - 84I	84"	2135 mm	2025 mm
830 - A40SC - 85I	85"	2160 mm	2050 mm
830 - A40SC - 86I	86"	2185 mm	2075 mm
830 - A40SC - 87I	87"	2210 mm	2100 mm
830 - A40SC - 88I	88"	2235 mm	2125 mm
830 - A40SC - 89I	89"	2260 mm	2150 mm
830 - A40SC - 90I	90"	2285 mm	2175 mm
830 - A40SC - 91I	91"	2310 mm	2200 mm
830 - A40SC - 92I	92"	2340 mm	2230 mm
830 - A40SC - 93I	93"	2360 mm	2250 mm
830 - A40SC - 94I	94"	2390 mm	2280 mm
830 - A40SC - 95I	95"	2410 mm	2300 mm
830 - A40SC - 96I	96"	2440 mm	2330 mm
830 - A40SC	TBA	Made to Order	



SLOTTED NUT 3/4" x 16 TPI
P/NO 900 - 305



AXLE WASHER 3/4"
P/NO 900 - 355



SPLIT PIN 4 mm x 32 mm
P/NO 900 - 380

40 mm SQUARE A TYPE SEMI DROP AXLE SHAFTS ONLY 1000 kg CAPACITY	
830 - A40SC - SD	1.5" (40 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



P/NO 830 - A40SC - SD

40 mm SQUARE A TYPE DROP AXLE SHAFTS ONLY 1000 kg CAPACITY	
830 - A40SC - FD3	3" (75 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH
830 - A40SC - FD4	4" (100 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH




P/NO 830 - A40SC - FD3
830 - A40SC - FD4

A TYPE STUB AXLES AND HUBS

A TYPE STUB AXLES COMPLETE WITH SLOTTED NUT, WASHER & SPLIT PIN

SIZE	LENGTH	PART NO	CAPACITY PER STUB
39 mm ROUND	200 mm	850 - A39R1CI	375 kg
39 mm ROUND	250 mm	850 - A39R3CI	375 kg
39 mm ROUND	300 mm	850 - A39R5CI	375 kg
40 mm SQUARE	200 mm	850 - A40S1C	500 kg
40 mm SQUARE	300 mm	850 - A40S5CI	500 kg



SLOTTED NUT 3/4" x 16 TPI
P/NO 900 - 305

AXLE WASHER 3/4"
P/NO 900 - 355



SPLIT PIN 4 mm x 32 mm
P/NO 900 - 380



850 - A39R1CI
850 - A39R3CI
850 - A39R5CI



850 - A40S1C
850 - A40S5CI

A TYPE HUB COMPLETE WITH BEARINGS, STUDS, GREASE CAP, OIL SEAL & WHEEL NUTS

FITMENT	PART NO	STUDS	PCD	FLANGE DIAM	FINISH
MINI	860 - A414ZPI	7/16"	4/101.6 mm - 4.0"	140 mm	ZINC
HOLDEN HT	860 - A522I	7/16"	5/108 mm - 4.25"	140 mm	BLACK
HOLDEN HT	860 - A524I	7/16"	5/108 mm - 4.25"	150 mm	BLACK
FORD	860 - A542I	1/2"	5/114.3 mm - 4.5"	150 mm	BLACK
HOLDEN HQ	860 - A55I	7/16"	5/120.65 mm - 4.75"	150 mm	BLACK
6 STUD 4X4	860 - A67I	1/2"	6/139.7 mm - 5.5"	190 mm	BLACK
6 STUD 4X4	860 - A67ZPI	1/2"	6/139.7 mm - 5.5"	190 mm	ZINC



860 - A414ZPI



860 - A522I
860 - A524I
860 - A542I
860 - A55I



860 - A67I



860 - A67ZPI



GREASE SEAL 59.0 mm X 37.6 mm
P/NO 900 - 405



GREASE CAP 44.5 mm DIAM
P/NO 900 - 455



INNER BEARING
CUP LM67010 P/NO 900 - 518
CONE LM67048 P/NO 900 - 519
COMPLETE P/NO 900 - 520



OUTER BEARING
CUP LM11910 P/NO 900 - 508
CONE LM11949 P/NO 900 - 509
COMPLETE P/NO 900 - 510



WHEEL STUDS
7/16" X 40 mm LONG P/NO 900 - 110
1/2" X 45 mm LONG P/NO 900 - 125



WHEEL NUTS - 60 DEGREE
7/16" X 19 mm HEX P/NO 900 - 215
1/2" X 21 mm HEX P/NO 900 - 220



A TYPE BRAKE SETS FITTED TO AXLES and UNFITTED BRAKE KITS
COMPLETE WITH HUB DRUMS, BRAKE ASSEMBLIES, ANCHOR PLATES & FITTINGS



A TYPE ELECTRIC DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS
10" DIAMETER X 2.25" WIDE WITH MECHANICAL PARKING LEVER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 136 - A52	910 - 036 - A52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 136 - A55	910 - 036 - A55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 136 - A54	910 - 036 - A54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 136 - A67	910 - 036 - A67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 136 - A515	910 - 036 - A515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 4



A TYPE MECHANICAL DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS
9" DIAMETER X 1.75" WIDE

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 111 - A52	910 - 011 - A52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 111 - A55	910 - 011 - A55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 111 - A54	910 - 011 - A54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 111 - A67	910 - 011 - A67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 111 - A515	910 - 011 - A515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 4



A TYPE HYDRAULIC DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS
9" DIAMETER X 1.75" WIDE

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 121 - A52	910 - 012 - A52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 121 - A55	910 - 012 - A55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 121 - A54	910 - 012 - A54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 121 - A67	910 - 012 - A67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 121 - A515	910 - 012 - A515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 4



A TYPE HYDRAULIC DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS
10" DIAMETER X 2.25" WIDE

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 135 - A52	910 - 035 - A52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 135 - A55	910 - 035 - A55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 135 - A54	910 - 035 - A54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 135 - A67	910 - 035 - A67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 135 - A515	910 - 035 - A515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 4



A TYPE BRAKE SETS FITTED TO AXLES and UNFITTED BRAKE KITS COMPLETE WITH HUB DRUMS, BRAKE ASSEMBLIES, ANCHOR PLATES & FITTINGS



A TYPE MECHANICAL DISC BRAKE SETS

AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS

10" DIAMETER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
GALVANISED DISC				
HOLDEN HT	910 - 158 - A52G	910 - 058 - A52G	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 158 - A55G	910 - 058 - A55G	7/16"	5/120.65 mm - 4.75"
FORD	910 - 158 - A54G	910 - 058 - A54G	1/2"	5/114.3 mm - 4.5"
NON - GALVANISED DISC				
HOLDEN HT	910 - 158 - A52	910 - 058 - A52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 158 - A55	910 - 058 - A55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 158 - A54	910 - 058 - A54	1/2"	5/114.3 mm - 4.5"

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 4



A TYPE HYDRAULIC DISC BRAKE SETS

AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS

10" DIAMETER


FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
GALVANISED DISC				
HOLDEN HT	910 - 159 - A52G	910 - 059 - A52G	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 159 - A55G	910 - 059 - A55G	7/16"	5/120.65 mm - 4.75"
FORD	910 - 159 - A54G	910 - 059 - A54G	1/2"	5/114.3 mm - 4.5"
NON - GALVANISED DISC				
HOLDEN HT	910 - 159 - A52	910 - 059 - A52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 159 - A55	910 - 059 - A55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 159 - A54	910 - 059 - A54	1/2"	5/114.3 mm - 4.5"

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 4



B TYPE AXLES

Load Capacity 1400 kg



B TYPE 45 mm SQUARE AXLE SHAFTS ONLY

ADD HUBS AND BRAKE SETS AS PER FOLLOWING PAGES

FOR COMPLETE AXLE SELECT AXLE SHAFT PART NUMBER AND HUBS OR BRAKE SET PART NUMBER

45 mm SQUARE 1400 kg CAPACITY			
PART NUMBER	OVERALL LENGTH TIP TO TIP		HUB FACE TO HUB FACE
	INCHES	mm	mm
830 - B45SC - 53I	53"	1350 mm	1240 mm
830 - B45SC - 65I	65"	1650 mm	1540 mm
830 - B45SC - 66I	66"	1675 mm	1565 mm
830 - B45SC - 67I	67"	1700 mm	1590 mm
830 - B45SC - 68I	68"	1730 mm	1620 mm
830 - B45SC - 69I	69"	1750 mm	1640 mm
830 - B45SC - 70I	70"	1780 mm	1670 mm
830 - B45SC - 71I	71"	1800 mm	1690 mm
830 - B45SC - 72I	72"	1830 mm	1720 mm
830 - B45SC - 73I	73"	1855 mm	1745 mm
830 - B45SC - 74I	74"	1875 mm	1765 mm
830 - B45SC - 75I	75"	1905 mm	1795 mm
830 - B45SC - 76I	76"	1930 mm	1820 mm
830 - B45SC - 77I	77"	1955 mm	1845 mm
830 - B45SC - 78I	78"	1980 mm	1870 mm
830 - B45SC - 79I	79"	2005 mm	1895 mm
830 - B45SC - 80I	80"	2030 mm	1920 mm

45 mm SQUARE 1400 kg CAPACITY			
PART NUMBER	OVERALL LENGTH TIP TO TIP		HUB FACE TO HUB FACE
	INCHES	mm	mm
830 - B45SC - 81I	81"	2060 mm	1950 mm
830 - B45SC - 82I	82"	2085 mm	1975 mm
830 - B45SC - 83I	83"	2110 mm	2000 mm
830 - B45SC - 84I	84"	2135 mm	2025 mm
830 - B45SC - 85I	85"	2160 mm	2050 mm
830 - B45SC - 86I	86"	2185 mm	2075 mm
830 - B45SC - 87I	87"	2210 mm	2100 mm
830 - B45SC - 88I	88"	2235 mm	2125 mm
830 - B45SC - 89I	89"	2260 mm	2150 mm
830 - B45SC - 90I	90"	2285 mm	2175 mm
830 - B45SC - 91I	91"	2310 mm	2200 mm
830 - B45SC - 92I	92"	2335 mm	2225 mm
830 - B45SC - 93I	93"	2360 mm	2250 mm
830 - B45SC - 94I	94"	2390 mm	2280 mm
830 - B45SC - 95I	95"	2410 mm	2300 mm
830 - B45SC - 96I	96"	2440 mm	2330 mm
830 - B45SC	TBA	Made to Order	

45 mm SQUARE B TYPE 'SEMI DROP' AXLE SHAFTS ONLY 1400 kg CAPACITY	
830 - B45SC - SD	1.75" (45 mm) DROP - 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



45 mm SQUARE B TYPE 'FULL DROP' AXLE SHAFTS ONLY 1400 kg CAPACITY	
830 - B45SC - FD3	3" (75 mm) DROP - 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH
830 - B45SC - FD4	4" (100 mm) DROP - 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



B TYPE 50 mm SQUARE AXLE SHAFTS ONLY

ADD HUBS AND BRAKE SETS AS PER FOLLOWING PAGES

FOR COMPLETE AXLE SELECT AXLE SHAFT PART NUMBER
AND HUBS OR BRAKE SET PART NUMBER



50 mm SQUARE STRAIGHT AXLE SHAFT ONLY 1400 kg CAPACITY	
830 - B50SC	65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

SLOTTED NUT 3/4" x 16 TPI
P/NO 900 - 305




SPLIT PIN 4 mm x 32 mm
P/NO 900 - 380




AXLE WASHER 3/4" P/NO 900 - 355

50 mm SQUARE B TYPE 'SEMI DROP' AXLE SHAFTS ONLY 1400 kg CAPACITY	
830 - B50SC - SD	2" (50 mm) DROP - 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



50 mm SQUARE B TYPE 'FULL DROP' AXLE SHAFTS ONLY 1400 kg CAPACITY	
830 - B50SC - FD3	3" (75 mm) DROP - 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH
830 - B50SC - FD4	4" (100 mm) DROP - 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



B TYPE STUB AXLES AND HUBS

B TYPE STUB AXLES COMPLETE WITH SLOTTED NUT, WASHER AND SPLIT PIN

SIZE	LENGTH	PART NO	CAPACITY PER STUB
45 mm ROUND	178 mm	850 - B45R2CI	700 kg
45 mm ROUND	200 mm	850 - B45R1CI	700 kg
45 mm ROUND	300 mm	850 - B45R5CI	700 kg
45 mm SQUARE	300 mm	850 - B45S5CI	700 kg
50 mm ROUND	300 mm	850 - B50R5C	700 kg
50 mm SQUARE	300 mm	850 - B50S5C	700 kg



850 - B45R2CI
850 - B45R1CI



850 - B45R5CI
850 - B50R5C

850 - B45S5CI
850 - B50S5C




AXLE WASHER 3/4"
P/NO 900 - 355



SLOTTED NUT 3/4" x 16 TPI
P/NO 900 - 305



SPLIT PIN 4 mm x 32 mm
P/NO 900 - 380



B TYPE HUB COMPLETE WITH BEARINGS, STUDS, GREASE CAP, OIL SEAL & WHEEL NUTS

FITMENT	PART NO	STUDS	PCD	FLANGE DIAM	FINISH
HOLDEN HT	860 - B524I	7/16"	5/108.0 mm - 4.25"	150 mm	BLACK
FORD	860 - B542I	1/2"	5/114.3 mm - 4.5"	150 mm	BLACK
HOLDEN HQ	860 - B55I	7/16"	5/120.65 mm 4.75"	150 mm	BLACK
6 STUD 4X4	860 - B67I	1/2"	6/139.7 mm - 5.5"	190 mm	BLACK
6 STUD 4X4	860 - B67ZPI	1/2"	6/139.7 mm - 5.5"	190 mm	ZINC
5 STUD 4x4	860 - B515	14 mm	5/150 mm	190 mm	BLACK



GREASE SEAL 59.0 mm x 43.5 mm
P/NO 900 - 415



GREASE CAP 44.5 mm DIAM
P/NO 900 - 455



860 - B524I
860 - B542I



860 - B55I



860 - B67I



860 - B515



WHEEL STUDS
7/16" X 40 mm LONG P/NO 900 - 110
1/2" X 45 mm LONG P/NO 900 - 125
14 mm X 45 mm LONG P/NO 900 - 145



WHEEL NUTS - 60 DEGREE
7/16" X 19 mm HEX P/NO 900 - 215
1/2" X 21 mm HEX P/NO 900 - 220
14 mm 22 mm HEX P/NO 900 - 223



INNER BEARING
CUP L68110 P/NO 900 - 538
CONE L68149 P/NO 900 - 539
COMPLETE P/NO 900 - 540



OUTER BEARING
CUP LM12710 P/NO 900 - 528
CONE LM12749 P/NO 900 - 529
COMPLETE P/NO 900 - 530

B TYPE BRAKE SETS FITTED TO AXLES and UNFITTED BRAKE KITS COMPLETE WITH HUB DRUMS, BRAKE ASSEMBLIES, ANCHOR PLATES & FITTINGS



B TYPE ELECTRIC DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 10" DIAMETER X 2.25" WIDE WITH MECHANICAL PARKING LEVER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 136 - B52	910 - 036 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 136 - B55	910 - 036 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 136 - B54	910 - 036 - B54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 136 - B67	910 - 036 - B67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 136 - B515	910 - 036 - B515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 8



B TYPE MECHANICAL DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 9" DIAMETER X 1.75" WIDE

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 111 - B52	910 - 011 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 111 - B55	910 - 011 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 111 - B54	910 - 011 - B54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 111 - B67	910 - 011 - B67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 111 - B515	910 - 011 - B515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 8



B TYPE HYDRAULIC DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 9" DIAMETER X 1.75" WIDE

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 121 - B52	910 - 012 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 121 - B55	910 - 012 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 121 - B54	910 - 012 - B54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 121 - B67	910 - 012 - B67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 121 - B515	910 - 012 - B515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 8



B TYPE HYDRAULIC DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 10" DIAMETER X 2.25" WIDE

FITMENT	FITTED PART NO	UNFITTED PART No	STUDS	PCD
HOLDEN HT	910 - 135 - B52	910 - 035 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 135 - B55	910 - 035 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 135 - B54	910 - 035 - B54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 135 - B67	910 - 035 - B67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 135 - B515	910 - 035 - B515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 8



B TYPE BRAKE SETS

COMPLETE WITH HUB DRUMS, BRAKE ASSEMBLIES, ANCHOR PLATES & FITTINGS



B TYPE MECHANICAL DISC BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 10" DIAMETER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
GALVANISED DISC				
HOLDEN HT	910 - 158 - B52G	910 - 058 - B52G	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 158 - B55G	910 - 058 - B55G	7/16"	5/120.65 mm - 4.75"
FORD	910 - 158 - B54G	910 - 058 - B54G	1/2"	5/114.3 mm - 4.5"
NON - GALVANISED DISC				
HOLDEN HT	910 - 158 - B52	910 - 058 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 158 - B55	910 - 058 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 158 - B54	910 - 058 - B54	1/2"	5/114.3 mm - 4.5"

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 8



B TYPE MECHANICAL DISC BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 12" DIAMETER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
NON - GALVANISED DISC				
6 STUD 4X4	910 - 168 - B67	910 - 068 - B67	1/2"	6/139.7 mm - 5.5"

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 8



B TYPE HYDRAULIC DISC BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 10" DIAMETER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
GALVANISED DISC				
HOLDEN HT	910 - 159 - B52G	910 - 059 - B52G	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 159 - B55G	910 - 059 - B55G	7/16"	5/120.65 mm - 4.75"
FORD	910 - 159 - B54G	910 - 059 - B54G	1/2"	5/114.3 mm - 4.5"
NON - GALVANISED DISC				
HOLDEN HT	910 - 159 - B52	910 - 059 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 159 - B55	910 - 059 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 159 - B54	910 - 059 - B54	1/2"	5/114.3 mm - 4.5"

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 8



B TYPE HYDRAULIC DISC BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 12" DIAMETER


FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
NON - GALVANISED DISC				
6 STUD 4X4	910 - 169 - B67	910 - 069 - B67	1/2"	6/139.7 mm - 5.5"

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 8



B PARALLEL AXLES

Load Capacity 1600 kg



B PARALLEL 45 mm SQUARE AXLE SHAFTS ONLY

ADD HUBS AND BRAKE SETS AS PER FOLLOWING PAGES

FOR COMPLETE AXLE SELECT AXLE SHAFT PART NUMBER AND HUBS OR BRAKE SET PART NUMBER

45 mm SQUARE B PARALLEL STRAIGHT AXLE 1600 kg CAPACITY	
830 - B45SPC	65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

45 mm SQUARE B PARALLEL 'SEMI DROP' AXLE SHAFTS ONLY 1600 kg CAPACITY	
830 - B45SPC - SD	1.75" (45 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

45 mm SQUARE B PARALLEL 'FULL DROP' AXLE SHAFTS ONLY 1600 kg CAPACITY	
830 - B45SPC - FD3	3" (75 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH
830 - B45SPC - FD4	4" (100 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



830 - B45SPC - SD



830 - B45SPC - FD3
830 - B45SPC - FD4

B PARALLEL 50 mm SQUARE AXLE SHAFTS ONLY

ADD HUBS AND BRAKE SETS AS PER FOLLOWING PAGES

FOR COMPLETE AXLE SELECT AXLE SHAFT PART NUMBER AND HUBS OR BRAKE SET PART NUMBER



50 mm SQUARE B PARALLEL STRAIGHT AXLE 1600 kg CAPACITY	
830 - B50SPC	65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

50 mm SQUARE B PARALLEL 'SEMI DROP' AXLE SHAFTS ONLY 1600 kg CAPACITY	
830 - B50SPC - SD	2" (50 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

50 mm SQUARE B PARALLEL 'FULL DROP' AXLE SHAFTS ONLY 1600 kg CAPACITY	
830 - B50SPC - FD3	3" (75 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH
830 - B50SPC - FD4	4" (100 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



830 - B50SPC - SD



830 - B50SPC - FD3
830 - B50SPC - FD4



SLOTTED NUT 1" x 14 TPI
P/NO 900 - 315



AXLE WASHER 1"
P/NO 900 - 357



SPLIT PIN 5 mm x 45 mm
P/NO 900 - 382



B PARALLEL STUB AXLES AND HUBS

B PARALLEL STUB AXLES COMPLETE WITH SLOTTED NUT, WASHER AND SPLIT PIN

SIZE	LENGTH	PART NO	CAPACITY PER STUB
45 mm ROUND	300 mm	850 - B45R5PC	800 kg
50 mm ROUND	300 mm	850 - B50R5PC	800 kg
45 mm SQUARE	300 mm	850 - B45S5PC	800 kg
50 mm SQUARE	300 mm	850 - B50S5PC	800 kg



850 - B45R5PC
850 - B50R5PC



850 - B45S5PC
850 - B50S5PC




AXLE WASHER 1"
P/NO 900 - 357



SLOTTED NUT 1" x 14 TPI
P/NO 900 - 315



SPLIT PIN 5 mm x 45 mm
P/NO 900 - 382



B PARALLEL HUB COMPLETE WITH BEARINGS, SEAL, GREASE CAP, OIL SEAL & WHEEL NUTS

FITMENT	PART NO	STUDS	PCD	FLANGE DIAM	FINISH
FORD	860 - B542P	1/2"	5/114.3 mm - 4.5"	200 mm	BLACK
6 STUD 4X4	860 - B67P	1/2"	6/139.7 mm - 5.5"	200 mm	BLACK
5 STUD 150	860 - B515P	14 mm	5/150 mm	200 mm	BLACK



860 - B542P



860 - B67P



860 - B515P



GREASE SEAL 59.0 mm X 43.5 mm
P/NO 900 - 415



GREASE CAP 63.5 mm DIAM
P/NO 900 - 480P



WHEEL STUDS
1/2" X 45 mm LONG P/NO 900 - 125
14 mm X 45 mm LONG P/NO 900 - 145



WHEEL NUTS - 60 DEGREE
1/2" X 21 mm HEX P/NO 900 - 220
14 mm X 22 mm HEX P/NO 900 - 223



INNER BEARING
CUP L68110 P/NO 900 - 538
CONE L68149 P/NO 900 - 539
COMPLETE P/NO 900 - 540



OUTER BEARING
CUP L68110 P/NO 900 - 538
CONE L68149 P/NO 900 - 539
COMPLETE P/NO 900 - 540

B PARALLEL BRAKE SETS FITTED TO AXLES and UNFITTED BRAKE KITS COMPLETE WITH HUB DRUMS, BRAKE ASSEMBLIES, ANCHOR PLATES & FITTINGS

B PARALLEL ELECTRIC DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 10" DIAMETER X 2.25" WIDE WITH MECHANICAL PARKING LEVER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
FORD	910 - 136 - B54P	910 - 036 - B54P	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 136 - B67P	910 - 036 - B67P	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 136 - B515P	910 - 036 - B515P	14 mm	5/150 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 12



B PARALLEL HYDRAULIC DRUM BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 10" DIAMETER X 2.25" WIDE

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
FORD	910 - 135 - B54P	910 - 035 - B54P	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 135 - B67P	910 - 035 - B67P	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 135 - B515P	910 - 035 - B515P	14 mm	5/150 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 12



B PARALLEL MECHANICAL DISC BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 12" DIAMETER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
NON - GALVANISED DISC				
6 STUD 4X4	910 - 168 - B67P	910 - 068 - B67P	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 168 - B515P	910 - 068 - B515P	14 mm	5/150 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 12



B PARALLEL HYDRAULIC DISC BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS 12" DIAMETER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
NON - GALVANISED DISC				
6 STUD 4X4	910 - 169 - B67P	910 - 069 - B67P	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 169 - B515P	910 - 069 - B515P	14 mm	5/150 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 12



HEAVY DUTY AXLES - D TYPE & E TYPE

D TYPE AXLES

2500 kg Capacity



D TYPE AXLE SHAFTS ONLY - ADD HUBS AND BRAKE SETS AS PER FOLLOWING PAGES
FOR COMPLETE AXLE SELECT AXLE SHAFT PART NUMBER AND HUBS OR BRAKE SET PART NUMBER

50 mm SQUARE D TYPE STRAIGHT AXLE 2500 kg CAPACITY	
830 - D50SC	65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

50 mm SQUARE D TYPE 'SEMI DROP' AXLE SHAFTS ONLY 2500 kg CAPACITY	
830 - D50SC - SD	2" (50 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

50 mm SQUARE D TYPE 'FULL DROP' AXLE SHAFTS ONLY 2500 kg CAPACITY	
830 - D50SC - FD3	3" (75 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH
830 - D50SC - FD4	4" (100 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



830 - D50SC - SD



830 - D50SC - FD3
830 - D50SC - FD4

D TYPE 63 mm SQUARE AXLE SHAFTS ONLY
ADD HUBS AND BRAKE SETS AS PER FOLLOWING PAGES
FOR COMPLETE AXLE SELECT AXLE SHAFT PART NUMBER
AND HUBS OR BRAKE SET PART NUMBER



SLOTTED NUT 1" x 14 TPI
P/NO 900 - 315



AXLE WASHER 1"
P/NO 900 - 357



SPLIT PIN 5 mm x 50 mm
P/NO 900 - 382

63 mm SQUARE D TYPE STRAIGHT AXLE 2500 kg CAPACITY	
830 - D63SC	65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

63 mm SQUARE D TYPE 'SEMI DROP' AXLE SHAFTS ONLY 2500 kg CAPACITY	
830 - D63SC - SD	2.5" (63 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

63 mm SQUARE D TYPE 'FULL DROP' AXLE SHAFTS ONLY 2500 kg CAPACITY	
830 - D63SC - FD4	4" (100 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



830 - D63SC - SD



830 - D63SC - FD4

E TYPE AXLES

3500 kg Capacity



E TYPE AXLE SHAFTS ONLY - ADD HUBS AND BRAKE SETS AS PER FOLLOWING PAGES
FOR COMPLETE AXLE SELECT AXLE SHAFT PART NUMBER AND HUBS OR BRAKE SET PART NUMBER

63 mm SQUARE E TYPE STRAIGHT AXLE 3000 kg CAPACITY	
830 - E63SC	65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH

63 mm SQUARE E TYPE 'SEMI DROP' AXLE SHAFTS ONLY 3000 kg CAPACITY	
830 - E63SC - SD	2.5" (63 mm) DROP 65" (1650 mm) TO 96" (2440 mm) OVERALL LENGTH



830 - E63SC - SD

HEAVY DUTY STUB AXLES AND HUBS

D TYPE STUB AXLES AND HUBS


D TYPE STUB AXLES COMPLETE WITH SLOTTED NUT, WASHER AND SPLIT PIN

SIZE	LENGTH	PART NO	CAPACITY PER STUB
50 mm ROUND	260 mm	850 - D50R260CI	1100 kg
50 mm SQUARE	300 mm	850 - D50S5CI	1250 kg
63 mm SQUARE	400 mm	850 - D63S7C	1250 kg



850 - D50R241CI
850 - D50R260CI

850 - D50S5CI
850 - D63S7C



D TYPE HUBS COMPLETE WITH BEARINGS, STUDS, GREASE CAP, OIL SEAL & WHEEL NUTS

FITMENT	PART NO	STUDS	PCD	FINISH
6 STUD 4X4	860 - D67	1/2"	6/139.7 mm - 5.5"	BLACK
5 STUD 4X4	860 - D515I	14 mm	5/150 mm	BLACK



SLOTTED NUT 1" x 14 TPI
P/NO 900 - 315

AXLE WASHER 1"
P/NO 900 - 357

SPLIT PIN 5 mm x 50 mm
P/NO 900 - 382

E TYPE STUB AXLES AND HUBS

E TYPE STUB AXLES COMPLETE WITH SLOTTED NUT, WASHER AND SPLIT PIN

SIZE	LENGTH	PART NO	CAPACITY PER STUB
63 mm SQUARE	400 mm	850 - E63S7C	1750 kg



850 - E63S7C



E TYPE HUB COMPLETE WITH BEARINGS, STUDS, GREASE CAP, OIL SEAL & WHEEL NUTS

FITMENT	PART NO	STUDS	PCD	FINISH
6 STUD 4X4	860 - E67	6 - 1/2"	6/139.7 mm - 5.5"	BLACK

HUBS, STUDS & NUTS D TYPE & E TYPE



860 - D671
860 - E67



860 - D515I



WHEEL STUDS
1/2" X 45 mm LONG
P/NO 900 - 125

14 mm X 45 mm LONG
P/NO 900 - 145



WHEEL NUTS - 60 DEGREE
1/2" X 21 mm HEX
P/NO 900 - 220

14 mm X 22 mm HEX
P/NO 900 - 223

BEARINGS, SEALS & GREASE CAPS D TYPE & E TYPE



INNER BEARING - D TYPE
CUP 25520 P/NO 900 - 568
CONE 25580 P/NO 900 - 569
COMPLETE P/NO 900 - 570



INNER BEARING - E TYPE
COMPLETE HR32011XJ
P/NO 900 - 580



GREASE SEAL
D TYPE - 85 Mm OD X 48.5 mm ID
P/NO 900 - 425
E TYPE - 89.8 mm OD X 61 mm ID
P/NO 900 - 430



OUTER BEARING - D TYPE
CUP 15245 P/NO 900 - 628
CONE 15123 P/NO 900 - 629
COMPLETE P/NO 900 - 630




OUTER BEARING - E TYPE
CUP LM29710 P/NO 900 - 558
CONE LM29749 P/NO 900 - 559
COMPLETE P/NO 900 - 560



GREASE CAP D TYPE
62mm DIAM P/NO 900 - 465
GREASE CAP E TYPE
70mm DIAM P/NO 900 - 468

HEAVY DUTY BRAKE SETS - D TYPE & E TYPE

D TYPE BRAKE SETS FITTED TO AXLES and UNFITTED BRAKE KITS
COMPLETE WITH HUB DRUMS, BRAKE ASSEMBLIES, ANCHOR PLATES & FITTINGS



D TYPE ELECTRIC DRUM BRAKE SETS

12" DIAMETER X 2" WIDE WITH MECHANICAL PARKING LEVER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
6 STUD 4X4	910 - 1994 - D67	910 - 0994 - D67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 1994 - D515	910 - 0994 - D515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 15



D TYPE HYDRAULIC DRUM BRAKE SETS


12" DIAMETER X 2" WIDE NO MECHANICAL PARKING

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
6 STUD 4X4	910 - 1995 - D67	910 - 0995 - D67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 1995 - D515	910 - 0995 - D515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 15



E TYPE BRAKE SETS FITTED TO AXLES and UNFITTED BRAKE KITS
COMPLETE WITH HUB DRUMS, BRAKE ASSEMBLIES, ANCHOR PLATES & FITTINGS



E TYPE ELECTRIC DRUM BRAKE SETS

12" DIAMETER X 2" WIDE WITH MECHANICAL PARKING LEVER

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
6 STUD 4X4	910 - 1994 - E67	910 - 0994 - E67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 1994 - E515	910 - 0994 - E515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 15



E TYPE HYDRAULIC DRUM BRAKE SETS

12" DIAMETER X 2" WIDE NO MECHANICAL PARKING

FITMENT	FITTED PART NO	UNFITTED PART NO	STUDS	PCD
6 STUD 4X4	910 - 1995 - E67	910 - 0995 - E67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 1995 - E515	910 - 0995 - E515	14 mm	5/150.0 mm

FOR COMPLETE AXLE ADD AXLE SHAFT PART NUMBER FROM PAGE 15



NOTE - E TYPE AXLE CAPACITY EXCEEDS 12"X2 ELECTRIC AND HYDRAULIC BRAKING CAPACITY.

BRAKE COMPONENTS - 9" DRUM BRAKES

9" BACK PLATES	Photo Ref.	9" BRAKE ASSEMBLY LEFT AND RIGHT
9X1.75 MECHANICAL BACK PLATE LEVER PULL	1	920 - 011
9X1.75 HYDRAULIC BACK PLATE W/OUT PARK	2	920 - 012

9" HUB DRUMS COMPLETE	Photo Ref.	A TYPE	B TYPE
9X1.75 HUB DRUM C/W BRNGS, SEAL, CAP, STUD & NUT - HT	3	920 - 1A52	920 - 1B52
9X1.75 HUB DRUM C/W BRNGS, SEAL, CAP, STUD & NUT - HQ		920 - 1A55	920 - 1B55
9X1.75 HUB DRUM C/W BRNGS, SEAL, CAP, STUD & NUT - FORD		920 - 1A54	920 - 1B54
9X1.75 HUB DRUM C/W BRNG, SEAL, CAP, STUD & NUT - 6/5.5"	3	920 - 1A67	920 - 1B67
9X1.75 HUB DRUM C/W BRNG, SEAL, CAP, STUD & NUT - 5/150		920 - 1A515	920 - 1B515

9" ANCHOR PLATES	Photo Ref.	A TYPE	B TYPE
ANCHOR PLATE SUIT 9 INCH HYDRAULIC BACK PLATE - ROUND HOLE	4	920 - 802A	920 - 802B
ANCHOR PLATE SUIT 9 INCH HYDRAULIC BACK PLATE - SQUARE HOLE	5	920 - 811A	920 - 811B
ANCHOR PLATE SUIT 9 INCH MECHANICAL BACK PLATE - ROUND HOLE	6	920 - 810A	920 - 810B
ANCHOR PLATE SUIT 9 INCH MECHANICAL BACK PLATE - SQUARE HOLE	7	920 - 812A	920 - 812B



9" DRUM BRAKE KITS UNFITTED

MECHANICAL DRUM BRAKE SETS - AXLE SHAFT **NOT** INCLUDED WITH BELOW PART NUMBERS

9" DIAMETER X 1.75" WIDE

	A TYPE	B TYPE		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 011 - A52	910 - 011 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 011 - A55	910 - 011 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 011 - A54	910 - 011 - B54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 011 - A67	910 - 011 - B67	1/2"	5/139.7 mm - 5.5"
5 STUD 4X4	910 - 011 - A515	910 - 011 - B515	14 mm	5/150.0 mm



HYDRAULIC DRUM BRAKE SETS - AXLE SHAFT **NOT** INCLUDED WITH BELOW PART NUMBERS

9" DIAMETER X 1.75" WIDE

	A TYPE	B TYPE		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 012 - A52	910 - 012 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 012 - A55	910 - 012 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 012 - A54	910 - 012 - B54	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 012 - A67	910 - 012 - B67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 012 - A515	910 - 012 - B515	14 mm	5/150.0 mm



BRAKE COMPONENTS - 10" DRUM BRAKES

10" BACK PLATES	Photo Ref.	10" BRAKE ASSEMBLY LEFT AND RIGHT
10X2.25 ELEC BACK PLATE C/W MECH PARK LEVER	1	920 - 036
10X2.25 HYDR BACK PLATE C/W MECH. PARK LEVER	2	920 - 030

10" HUB DRUMS COMPLETE	Photo Ref.	A TYPE	B TYPE	B PARALLEL
10X2.25 HUB DRUM C/W BRNGS,SEAL,CAP,STUD & NUT - HT	3	920 - 3A52	920 - 3B52	N/A
10X2.25 HUB DRUM C/W BRNGS,SEAL,CAP,STUD & NUT - HQ		920 - 3A55	920 - 3B55	N/A
10X2.25 HUB DRUM C/W BRNGS,SEAL,CAP,STUD & NUT - FORD		920 - 3A54	920 - 3B54	920 - 3B54P
10X2.25 HUB DRUM C/W BRNG, SEAL, CAP, STUD & NUT - 6/5.5"	3	920 - 3A67	920 - 3B67	920 - 3B67P
10X2.25 HUB DRUM C/W BRNG, SEAL, CAP, STUD & NUT - 5/150		920 - 3A515	920 - 3B515	920 - 3B515P

10" COMPONENTS	Photo Ref.	A TYPE	B TYPE	B PARALLEL
ANCHOR PLATE SUIT 10 INCH BACK PLATE - ROUND HOLE	4	920 - 810A	920 - 810B	920 - 810B
ANCHOR PLATE SUIT 10 INCH BACK PLATE - SQUARE HOLE	5	920 - 812A	920 - 812B	920 - 812B
MAGNET FOR 10 INCH ELECTRIC BACK PLATE EACH	6	920 - 890	N/A	N/A



10" DRUM BRAKE KITS UNFITTED

ELECTRIC DRUM BRAKE SETS - AXLE SHAFT **NOT** INCLUDED WITH BELOW PART NUMBERS

10" DIAMETER X 2.25" WIDE WITH MECHANICAL PARKING LEVER

	A TYPE	B TYPE	B PARALLEL		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 036 - A52	910 - 036 - B52	N/A	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 036 - A55	910 - 036 - B55	N/A	7/16"	5/120.65 mm - 4.75"
FORD	910 - 036 - A54	910 - 036 - B54	910 - 036 - B54P	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 036 - A67	910 - 036 - B67	910 - 036 - B67P	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 036 - A515	910 - 036 - B515	910 - 036 - B515P	14 mm	5/150.0 mm

HYDRAULIC DRUM BRAKE SETS - AXLE SHAFT **NOT** INCLUDED WITH BELOW PART NUMBERS

10" DIAMETER X 2.25" WIDE

	A TYPE	B TYPE	B PARALLEL		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
HOLDEN HT	910 - 035 - A52	910 - 035 - B52	N/A	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 035 - A55	910 - 035 - B55	N/A	7/16"	5/120.65 mm - 4.75"
FORD	910 - 035 - A54	910 - 035 - B54	910 - 035 - B54P	1/2"	5/114.3 mm - 4.5"
6 STUD 4X4	910 - 035 - A67	910 - 035 - B67	910 - 035 - B67P	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 035 - A515	910 - 035 - B515	910 - 035 - B515P	14 mm	5/150.0 mm

BRAKE COMPONENTS - 10" DISC BRAKES

10" DISC BRAKE CALIPER	Photo Ref.	DISC CALIPERS
DISC BRAKE CALIPER - HYDRAULIC	1	920 - 796
DISC BRAKE CALIPER - MECHANICAL	2	920 - 795

10" DISC HUBS COMPLETE	Photo Ref.	A TYPE	B TYPE
10" DISC C/W BRNG, SEAL, CAP, STUD & NUT - HT	3	920 - 4A52	920 - 4B52
10" DISC C/W BRNG, SEAL, CAP, STUD & NUT - HQ		920 - 4A55	920 - 4B55
10" DISC C/W BRNG, SEAL, CAP, STUD & NUT - FORD		920 - 4A54	920 - 4B54
10" DISC C/W BRNG, SEAL, CAP, S & N - GALV HT	3	920 - 4A52G	920 - 4B52G
10" DISC C/W BRNG, SEAL, CAP, S & N - GALV HQ		920 - 4A55G	920 - 4B55G
10" DISC C/W BRNG, SEAL, CAP, S & N - GALV FORD		920 - 4A54G	920 - 4B54G

10" COMPONENTS	Photo Ref.	A TYPE	B TYPE
DISC BRAKE 10" CALIPER MOUNTING PLATE	4	920 - 825	920 - 825



10" DISC BRAKE KITS UNFITTED

MECHANICAL DISC BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS
10" DIAMETER DISC

	A TYPE	B TYPE		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
GALVANISED DISC				
HOLDEN HT	910 - 058 - A52G	910 - 058 - B52G	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 058 - A55G	910 - 058 - B55G	7/16"	5/120.65 mm - 4.75"
FORD	910 - 058 - A54G	910 - 058 - B54G	1/2"	5/114.3 mm - 4.5"
NON-GALVANISED DISC				
HOLDEN HT	910 - 058 - A52	910 - 058 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 058 - A55	910 - 058 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 058 - A54	910 - 058 - B54	1/2"	5/114.3 mm - 4.5"




HYDRAULIC DISC BRAKE SETS - AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS
10" DIAMETER DISC

	A TYPE	B TYPE		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
GALVANISED DISC				
HOLDEN HT	910 - 059 - A52G	910 - 059 - B52G	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 059 - A55G	910 - 059 - B55G	7/16"	5/120.65 mm - 4.75"
FORD	910 - 059 - A54G	910 - 059 - B54G	1/2"	5/114.3 mm - 4.5"
NON-GALVANISED DISC				
HOLDEN HT	910 - 059 - A52	910 - 059 - B52	7/16"	5/108.0 mm - 4.25"
HOLDEN HQ	910 - 059 - A55	910 - 059 - B55	7/16"	5/120.65 mm - 4.75"
FORD	910 - 059 - A54	910 - 059 - B54	1/2"	5/114.3 mm - 4.5"



BRAKE COMPONENTS - 12" DRUM BRAKES

12 INCH BACK PLATES	Photo Ref.	12" BRAKE ASSEMBLY LEFT AND RIGHT
12X2 ELECTRIC BACK PLATE WITH MECHANICAL PARK LEVER EACH	1	920 - 080
12X2 HYDRAULIC BACK PLATE EACH	2	920 - 052



12" HUB DRUMS COMPLETE	Photo Ref.	PART NUMBER
12X2 ELEC HUB DRUM D C/W BRNG, SEAL, CAP, STUD & NUT 6/5.5"	3	920 - 6D67
12X2 ELEC HUB DRUM D C/W BRNG, SEAL, CAP, STUD & NUT 5/150		920 - 6D515



12" COMPONENTS	Photo Ref.	COMPONENTS
ANCHOR PLATE SUIT 12 INCH ELECTRIC BACK PLATE - ROUND HOLE	4	920 - 816
ANCHOR PLATE SUIT 12 INCH ELECTRIC BACK PLATE - SQUARE HOLE	5	920 - 817

12" DRUM BRAKE KITS UNFITTED

ELECTRIC DRUM BRAKE SETS

AXLE SHAFT **NOT** INCLUDED WITH BELOW PART NUMBERS

12" DIAMETER X 2" WIDE WITH MECHANICAL PARKING LEVER

	D TYPE	E TYPE		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
6 STUD 4X4	910 - 0994 - D67	910 - 0994 - E67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 0994 - D515	910 - 0994 - E515	14 mm	5/150.0 mm



HYDRAULIC DRUM BRAKE SETS

AXLE SHAFT **NOT** INCLUDED WITH BELOW PART NUMBERS

12" DIAMETER X 2" WIDE NO MECHANICAL PARKING LEVER

	D TYPE	E TYPE		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
6 STUD 4X4	910 - 0995 - D67	910 - 0995 - E67	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	910 - 0995 - D515	910 - 0995 - E515	14 mm	5/150.0 mm



BRAKE COMPONENTS - 12" DISC BRAKES

12" DISC BRAKE CALIPERS	Photo Ref.	DISC CALIPERS
HYDRAULIC CALIPER - EACH	1	920 - 796
MECHANICAL CALIPER - EACH	2	920 - 795

12" DISC HUBS COMPLETE	Photo Ref.	12" DISC HUBS COMPLETE
12" DISC B TYPE C/W BRNG, SEAL, CAP, STUD & NUT - 6/5.5 PCD EACH	3	920 - 5B67
12" DISC PARALLEL TYPE C/W BRNG,SEAL,STUD & NUT,CAP 6/5.5 PCD EACH		920 - 5B67P
12" DISC PARALLEL TYPE C/W BRNG,SEAL,CAP,STUD & NUT - 5/150 mm EACH		920 - 5B515P

12" COMPONENTS	Photo Ref.	COMPONENTS
ANCHOR PLATE SUIT 12" DISC EACH	4	920 - 826



12" DISC BRAKE KITS UNFITTED

MECHANICAL DISC BRAKE SETS
AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS
12" DIAMETER - NON GALVANISED DISC

	B TYPE	B PARALLEL		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
6 STUD 4X4	910 - 068 - B67	910 - 068 - B67P	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	N/A	910 - 068 - B515P	14 mm	5/150.0 mm






HYDRAULIC DISC BRAKE SETS
AXLE SHAFT NOT INCLUDED WITH BELOW PART NUMBERS
12" DIAMETER - NON GALVANISED DISC

	B TYPE	B PARALLEL		
FITMENT	UNFITTED PART NO	UNFITTED PART NO	STUDS	PCD
6 STUD 4X4	910 - 069 - B67	910 - 069 - B67P	1/2"	6/139.7 mm - 5.5"
5 STUD 4X4	N/A	910 - 069 - B515P	14 mm	5/150.0 mm



BRAKE COMPONENTS & BRAKE CONTROLLERS

BRAKE ACCESSORIES	Photo Ref.	PART NUMBER
FLARED BRAKE LINE - 3/16" x 450 mm LENGTH	1	920 - 835
FLARED BRAKE LINE - 3/16" x 1000 mm UP TO 1615 mm LENGTH	2	920 - 836
3/16 INCH BRAKE LINE (5.3m) - NO FLARE/NO TUBE NUTS	3	920 - 830
BRAKE HOSE CLIP	4	920 - 850
TUBE NUT SHORT 3/8	5	920 - 861
TUBE NUT LONG 3/8	6	920 - 860
TUBE NUT LONG METRIC	7	920 - 859
3 WAY BLOCK	8	920 - 870
HYDRAULIC DISC CALIPER PIPE ADAPTOR	9	920 - 862
FLEXIBLE BRAKE HOSE	10	920 - 840
HANDBRAKE CABLE KIT SUIT MECHANICAL BRAKES	11	920 - 875C1
HANDBRAKE CABLE PULLEY ROLLER	12	920 - 873




ELECTRIC BRAKE CONTROLLERS	Photo Ref.	PART NUMBER
TEKONSHA ELECTRIC BRAKE CONTROLLER - CAR KIT	13	920 - 880
ELECTRIC BREAK-AWAY KIT WITH BATTERY & CHARGER - TRAILER KIT	14	920 - 894




BEARING PART NUMBERS & IDENTIFICATION

TYPE	COMPLETE BEARING		BEARING CUP		BEARING CONE	
A TYPE						
OUTER	LM11910/49	900 - 510	LM11910	900 - 508	LM11949	900 - 509
INNER	LM67010/48	900 - 520	LM67010	900 - 518	LM67048	900 - 519
B TYPE						
OUTER	LM12710/49	900 - 530	LM12710	900 - 528	LM12749	900 - 529
INNER	L68110/49	900 - 540	L68110	900 - 538	L68149	900 - 539
B TYPE PARALLEL						
OUTER	L68110/49	900 - 540	L68110	900 - 538	L68149	900 - 539
INNER	L68110/49	900 - 540	L68110	900 - 538	L68149	900 - 539
D TYPE (DEXTER)						
OUTER	15245/15123	900 - 630	15245	900 - 628	15123	900 - 629
INNER	25520/80	900 - 570	25520	900 - 568	25580	900 - 569
E TYPE						
OUTER	LM29710-49	900 - 560	LM29710	900 - 558	LM29749	900 - 559
INNER	HR32011XJ	900 - 580	32011XJ	900 - 578	32011XJ	900 - 579


INNER BEARING OUTER BEARING




A TYPE




B TYPE



B PARALLEL



D TYPE



E TYPE

HUB, DRUM AND DISC COMPONENTS

SLOTTED NUTS



3/4 INCH NF	900 - 305
7/8 INCH NF	900 - 310
1 INCH NF	900 - 315

AXLE WASHERS



3/4 INCH	900 - 355
7/8 INCH	900 - 356
1 INCH	900 - 357

COTTER PINS



4 mm X 32 mm	900 - 380
5 mm X 45 mm	900 - 382

TAPER WHEEL NUTS



7/16 60DEG NF	900 - 215
1/2 60DEG NF	900 - 220
9/16 60DEG NF	900 - 225
5/8 60DEG NF	900 - 230
14 mm x 1.5 60DEG	900 - 223

WHEEL STUDS



7/16X1.5	STANDARD	900 - 110
1/2X1.75	STANDARD	900 - 125
1/2X2.0	LONG KNURL	900 - 132
1/2"X2 SUIT 6-STUD 12X2.0 HUB DRUM	LONG KNURL	900-130

14mm X45	STANDARD	900-145
9/16X1.75	STANDARD	900 - 140
9/16X2.0	LONG KNURL	900 - 142
5/8X1.75	STANDARD	900 - 150
5/8X2.25	LONG KNURL	900 - 152
5/8X2.5	LONG KNURL	900 - 154

OIL SEALS



A TYPE	NEOPRENE	900 - 405	59.0 mm x 37.6 mm
A MARINE	STAINLESS	900 - 411	59.0 mm x 37.6 mm
B TYPE	NEOPRENE	900 - 415	59.0 mm x 43.5 mm
B MARINE	STAINLESS	900 - 412	59.0 mm x 43.5 mm
D TYPE	NEOPRENE	900 - 425	85 mm x 48.5 mm ID
E TYPE	NEOPRENE	900 - 430	89.8 mm x 61 mm ID

GREASE CAPS



A/B	1-3/4"	900 - 455	59.0 mm Diam
PARALLEL	2-1/2"	900 - 480P	63.5 mm Diam
D TYPE	2-7/16"	900 - 465	62.0 mm Diam
E TYPE	2-3/4"	900 - 468	70.0 mm Diam

SPRINGS

PARABOLIC SINGLE LEAF SLIPPER SPRINGS 45 mm WIDE GALVANISED FINISH

SIZE	CAPACITY PER PAIR	SET COMPLETE INC. FITTINGS	CAPACITY PER SPRING	SPRING ONLY
SLS0600G	600 kgs	930 - SL - 0600G	300 kgs	930 - SLS - 0600G
SLS1000G	1000 kgs	930 - SL - 1000G	500 kgs	930 - SLS - 1000G
SLS1400G	1400 kgs	930 - SL - 1400G	700 kgs	930 - SLS - 1400G



SINGLE SPRING ONLY

MULTILEAF SLIPPER SPRINGS 45 mm WIDE LEAVES PAINTED FINISH

SIZE	CAPACITY PER PAIR	SET COMPLETE INC. FITTINGS	CAPACITY PER SPRING	SPRING ONLY
3 LEAF	600 kgs	930 - 105	300 kgs	930 - 454
4 LEAF	780 kgs	930 - 110	390 kgs	930 - 456
5 LEAF	920 kgs	930 - 115	460 kgs	930 - 458
6 LEAF	1000 kgs	930 - 120	500 kgs	930 - 460
7 LEAF	1140 kgs	930 - 125	570 kgs	930 - 462
9 LEAF	1600 kgs	930 - 135	800 kgs	930 - 466



SINGLE SPRING ONLY


MULTILEAF TANDEM SLIPPER SPRINGS 45 mm WIDE LEAVES PAINTED FINISH

SIZE	CAPACITY PER SET	SET COMPLETE INC. FITTINGS
3 LEAF	1200 kgs	930 - 150
4 LEAF	1560 kgs	930 - 155
5 LEAF	1840 kgs	930 - 160
6 LEAF	2000 kgs	930 - 165
7 LEAF	2280 kgs	930 - 170
9 LEAF	3200 kgs	930 - 180



SPRINGS

ROLLER ROCKER SPRING SETS COMPLETE 60mm WIDE x 7mm LEAVES COMPLETE WITH 45mm SQUARE OR 50mm SQUARE 5/8" U BOLTS



Dimensions - 13" and 14"

A = 1560 mm / B = 785 mm / C = 190 mm

Dimensions - 15" and 16"

A = 1560 mm / B = 975 mm / C = 190 mm

TANDEM ROLLER ROCKER			SUIT 14" WHEELS		SUIT 16" WHEELS	
CAPACITY KGS PER SET	LEAF SIZE	TYPE	45 SQUARE U BOLTS	50 SQUARE U BOLTS	45 SQUARE U BOLTS	50 SQUARE U BOLTS
2500 kgs	60 mm x 7 mm	5 L	930 - 380 - 14RR - 45	930 - 380 - 14RR - 50	930 - 380 - 16RR - 45	930 - 380 - 16RR - 50
3500 kgs	60 mm x 7 mm	7 L	930 - 385 - 14RR - 45	930 - 385 - 14RR - 50	930 - 385 - 16RR - 45	930 - 385 - 16RR - 50
4500 kgs	60 mm x 7 mm	9 L	930 - 389 - 14RR - 45	930 - 389 - 14RR - 50	930 - 389 - 16RR - 45	930 - 389 - 16RR - 50



TRIPLE ROLLER ROCKER			SUIT 16" WHEELS
CAPACITY KGS/PER SET	LEAF SIZE	TYPE	
4000 KGS	60 mm X 6 mm	7 L	930 - 387 - 16RR - TR

EYE & EYE SPRING SETS COMPLETE - OFF ROAD HEAVY DUTY COMPLETE WITH 45mm SQUARE OR 50mm SQUARE 5/8" AXLE FITTINGS

CAPACITY KGS/PER SET	LEAF SIZE	TYPE	
1500 KGS	60 mm X 6.5 mm	7 L	930 - 140



SPRING FITTINGS


EYE AND SLIPPER SPRING FITTINGS 45mm WIDE

	PHOTOS	BLACK FINISH	ZINC PLATED FINISH
FRONT HANGER SUIT 1/2 INCH BOLT NYLON BUSH	1	930 - 752	N/A
REAR HANGER SUIT 45mm MULTI LEAF SPRING	2	930 - 780	N/A
REAR HANGER SHORT SUIT SINGLE LEAF SPRING	3	930 - 770	N/A
LONG TANDEM CENTRE SLIPPER HANGER SUIT 1/2" BOLT	4	930 - 795	N/A
NYLON BUSH FOR 3/4 INCH EYE SPRING 1/2" BOLT	5	930 - 829	N/A
NYLON BUSH FOR 3/4 INCH EYE SPRING 9/16" BOLT	5	930 - 830	N/A
SHACKLE BOLT AND NUT FOR NYLON BUSH 3" X 1/2"	6	N/A	930 - 842 BNWZP



AXLE TO SPRING FITTINGS

	PHOTOS	BLACK FINISH	ZINC PLATED FINISH
U BOLT 1/2" WITH NUTS AND SPRING WASHERS	1	930 - 560	930 - 560ZP
U BOLT 5/8" WITH NUTS AND SPRING WASHERS 45 SQUARE	1	N/A	930 - 590 - 45
U BOLT 5/8" WITH NUTS AND SPRING WASHERS 50 SQUARE	1	N/A	930 - 590 - 50
FISH PLATE SUIT 1/2" U BOLT	2	930 - 515	930 - 515ZP
FISH PLATE SUIT 5/8" U BOLT	2	930 - 510	N/A
AXLE PADS	3	N/A	930 - 530ZP
1/2" NUTS ONLY	4	N/A	930 - 870ZP
1/2" SPRING WASHERS ONLY ZINC PLATED	5	N/A	930 - 873



SPRING FITTINGS

ROLLER ROCKER SPRING FITTINGS 60mm WIDE


	PHOTO	
CENTRE HANGER LONG 3/4" HOLE	1	930 - 601
FRONT / REAR HANGER SHORT 5/8" HOLE	2	930 - 602
ROCKER ARM STEEL BUSH 3/4" INTERNAL DIAM	3	930 - 603
HARDENED ROLLER BUSH	4	930 - 604
3/4" DIAM PIVOT PIN ONLY SUIT CENTRE ROCKER 95mm LONG	5	930 - 605
5/8" DIAM ROLLER SHACKLE PIN ONLY GREASABLE 105mm LONG	6	930 - 606
5/8" DIAM SHACKLE PIN ONLY NON GREASABLE 105mm LONG	7	930 - 607
3/4" CASTLE NUT	8	930 - 608
5/8" CASTLE NUT	8	930 - 609
5/8" NYLOC NUT	9	930 - 610
CENTRE ROCKER ARM CAST	10	930 - 611
GREASE NIPPLE SCREW IN	11	930 - 612
BRONZE BUSH 5/8" ID SUIT ROLLER ROCKER SPRING	12	930 - 613



JOCKEY WHEELS

DESCRIPTION

	PHOTO	CAPACITY	
6" X 2" SOLID WIND UP J / W WITH SWING UP CLAMP	1	350 kg	960 - 280
WIND UP STAND WITH CLAMP	2	350 kg	960 - 285
8" X 2" SOLID HEAVY DUTY J/W WITH SWING UP CLAMP	3	750 kg	960 - 325
10" DIAM 4.10/3.50 X 4" PNEU WIND UP WITH SWING UP CLAMP	4	350 kg	960 - 430
SWING UP CLAMP ONLY SUIT 750 kg JOCKEY WHEEL	5	750 kg	960 - 976
6 X 2 RUBBER WHEEL ONLY	6	350 kg	660 - 355
8 X 2 RUBBER WHEEL ONLY	7	750 kg	660 - 365




COUPLINGS AND TOW BALLS

50 mm COUPLINGS	PHOTO	CAPACITY kgs	ZINC PLATED FINISH
50 mm SNAP ON - 3 HOLE WITH ADJUSTING SCREW	1	2000	950 - 164ZP
50 mm SNAP ON - 2 HOLE WITH ADJUSTING SCREW	2	2000	950 - 163ZP
50 mm FIXED HEAD - LONG BASE WITH BRAKE LEVER	3	3500	950 - 167




MECHANICAL OVER-RIDE COUPLINGS	PHOTO	CAPACITY kgs	ZINC PLATED FINISH
50 mm MECHANICAL OVERRIDE C/W HAND BRAKE PLATE	1	2000	950 - 170ZP
GALV 50 mm MECH O/RIDE C/W HAND BRAKE LEVER 100 mm	2	2000	950 - 172ZP
GALV 50 mm MECH O/RIDE C/W HAND BRAKE LEVER 75 mm	2	2000	950 - 171ZP
HAND BRAKE LEVER SUIT MECH O/RIDE WITH BASE PLATE	3	N/A	950 - 050ZP
HANDBRAKE LEVER - 100 mm ZINC PLATED	4	N/A	950 - 039
HANDBRAKE LEVER - 75 mm ZINC PLATED	4	N/A	950 - 040
HANDBRAKE CABLE KIT SUIT MECHANICAL BRAKES	5	N/A	920 - 875C1
HANDBRAKE CABLE PULLEY ROLLER	6	N/A	920 - 873




COUPLINGS AND TOW BALLS

HYDRAULIC OVER-RIDE COUPLINGS	PHOTO	CAPACITY kgs	ZINC PLATED FINISH
50 mm HYDRAULIC OVERRIDE (3/4" CYLINDER)	1	2000	950 - 180ZP
50 mm HYDRAULIC OVERRIDE (7/8" CYLINDER)	1	2000	950 - 185ZP
MASTER CYLINDER BRACKET (LESS HYD MASTER CYLINDER)	2	N/A	950 - 041ZP
MASTER CYLINDER BRACKET C/W 3/4" MASTER CYLINDER	3	N/A	950 - 041 - C1ZP
MASTER CYLINDER BRACKET C/W 7/8" MASTER CYLINDER	3	N/A	950 - 041 - C2ZP
HYDRAULIC MASTER CYLINDER 3/4" DIAMETER	4	N/A	950 - 029
HYDRAULIC MASTER CYLINDER 7/8" DIAMETER	4	N/A	950 - 028
HYDRAULIC MASTER CYLINDER CAP 3/4" DIAMETER	5	N/A	950 - 046
HYDRAULIC MASTER CYLINDER CAP 7/8" DIAMETER	5	N/A	950 - 023



POLY BLOCK OFF ROAD COUPLINGS	PHOTO	CAPACITY kgs	ZINC PLATED FINISH
POLYBLOCK COUPLING C/W TOWING HITCH ADAPTOR	1	3000 kgs	950 - 210
OVERRIDE POLY BLOCK BODY C/W TOWING HITCH (For comp coupling add mech h/brake lever or master cyl and bracket)	2	2000 kgs	950 - 211
TOWING HITCH ADAPTOR ONLY	3	3000 kgs	950 - 209
HAND BRAKE LEVER SUIT MECH O/RIDE	4	N/A	950 - 050ZP
MASTER CYLINDER BRACKET C/W 3/4" MASTER CYLINDER	5	N/A	950 - 041 - C1ZP
MASTER CYLINDER BRACKET C/W 7/8" MASTER CYLINDER	5	N/A	950 - 041 - C2ZP



TOW BALLS AND BOLTS	PHOTO	CAPACITY kgs	
50 mm MACHINED TOWBALL C/W NUT & WASHER	1	3500	950 - 280
50 mm BALL ADJUSTING SCREW AND NUT	2	N/A	950 - 020



LOAD RATED ALLOY WHEELS FOR CARAVAN AND TRAILER USE



COMMANDO 16x7, 17x7



EDGE 15x6.5, 16x7



GRANITE 16x8, 17x8, 18x8, 20x9



HAWK 16x8



JACKAL 16x8, 17x8, 18x8, 20x8.5



KRAWLA 16x8, 17x8



MAGNUM 15x7, 16x7, 16x8



MAGNUM II 15x7, 16x7



MONSTER 16x7, 16x8, 17x8



OUTLAW 16x8, 17x8



RAPTOR 16x8, 17x8, 18x8, 20x8.5
& **RAPTOR MILLED** 17x8



RENEGADE 16x8, 17x8, 18x8



RENEGADE SATIN BLACK 16x8, 17x8



STAMPEDE 15x7, 16x7, 16x8

LOAD RATED STEEL WHEELS FOR CARAVAN AND TRAILER USE



RANGER WHITE



RANGER BLACK



RANGER GALVANISED

BOLT PATTERN - APPLICATION		FINISH	13x4.5	14x5	14x6	15x6	15x7	15x8	15x10	16x6	16x7	16x8	16x10	17x7	17x8
5/108	HT	Black	●	●	●										
5/108	HT	White	●	●	●										
5/108	HT	Galv	●	●	●										
5/114.3	Ford	Black	●	●	●	●	●								
5/114.3	Ford	White	●	●	●	●	●								
5/114.3	Ford	Galv	●	●	●										
5/120	VW Amarok	Black										●			●
5/120.65	HQ Holden	Black		●	●	●									
5/120.65	HQ Holden	White		●	●	●									
5/120.65	HQ Holden	Galv		●	●										
5/139.7	F100, F150 Ford	Black					●								
5/139.7	F100, F150 Ford	White					●								
5/139.7	Suzuki	Black					●								
5/139.7	Suzuki	White					●								
5/150	Toyota L-Cruiser	Black								●	●	●			●
5/150	Toyota L-Cruiser	White								●	●	●			●
6/114.3	Nissan Navara	Black										●			●
6/114.3	Nissan Navara	White										●			
6/139.7	6-Stud Neg Offset	Black					●	●	●		●	●	●		
6/139.7	6-Stud Neg Offset	White					●	●	●		●	●	●		
6/139.7	6-Stud Pos Offset	Black			●	●	●				●	●		●	●
6/139.7	6-Stud Pos Offset	White			●	●	●				●	●		●	●
6/139.7	6-Stud Zero Offset	Black								●	●	●			●
6/139.7	6-Stud Zero Offset	White								●	●	●			●



**MADE TO ORDER
by EXPERT TECHNICIANS**

MTP **MULLINS** *Trailer Parts*

SA / NT

08 8281 3555

25-47 Cheviot Road
Salisbury SA 5108
FAX: 08 8281 6262
sasales@mullins.com.au

HEAD OFFICE

08 8282 3600

25-47 Cheviot Road
Salisbury SA 5108
FAX: 08 8281 3232
info@mullins.com.au

NSW

02 9725 2555

12 Allen Place
Wetherill Park NSW 2164
FAX: 02 9725 2472
nswsales@mullins.com.au

WA

08 9277 6266

83 Belgravia Street
Belmont WA 6104
FAX: 08 9277 3493
wasales@mullins.com.au

VIC / TAS

03 9357 2333

474 Mahoneys Road
Campbellfield VIC 3061
FAX: 03 9357 3112
vicsales@mullins.com.au

QLD

07 3277 8677

14 Success Street
Acacia Ridge QLD 4110
FAX: 07 3277 0303
qldsales@mullins.com.au

NATIONAL SALES HOTLINE 1300 882 779 www.mullinstrailerparts.com.au